

WHEN WORKING IN:	MY JOB IS:				
	A Non Clinical role (e.g. facilities, administrative role, volunteers)	A Hospital based clinical role –e.g. medical nursing, ODP	A hospital based Allied Health Professional (e.g. Physio, OT)	Community Based worker- including social care & independent contractors	Dental Services
Any public space, office, room or area NOT in a ward/clinical area	No PPE required – follow social distancing & hand hygiene guidance	No PPE required – follow social distancing & hand hygiene guidance	No PPE required – follow social distancing guidance Hand hygiene	No PPE required – follow social distancing guidance Hand hygiene	No PPE required – follow social distancing guidance Hand hygiene
In any home, ward or clinical area: <ul style="list-style-type: none"> Acute adult HBCCC Paediatric Maternity Mental Health Transferring a patient 	FRSM Apron Gloves	FRSM Apron Gloves Eye protection - if risk of splash/cough Midwives: wear long sleeved gowns following ARM/SRM & during 2 nd & 3 rd stage of labour	FRSM Apron Gloves Eye protection - if risk of splash/cough	FRSM Apron Gloves Eye protection - if risk of splash/cough	FRSM Apron Gloves Eye protection
In home, ward or outpatient setting when undertaking an Aerosol Generating Procedure (AGP)	N/A	FFP3 (*FFP2 can be used if FFP3 unavailable) Long sleeved gown /Surgeons' Apron Gloves Full Face visor (*Eye protection)	FFP3 (*FFP2 can be used if FFP3 unavailable) Long sleeved gown /Surgeons' Apron Gloves Full Face visor (*Eye protection)	FFP3 (*FFP2 can be used if FFP3 unavailable) Long sleeved gown /Surgeons' Apron Gloves Full Face visor (*Eye protection)	FFP3 (*FFP2 can be used if FFP3 unavailable) Long sleeved gown /Surgeons' Apron Gloves Full Face visor (*Eye protection)
In Intensive Care/Critical Care/ED Resus room/Ward based resuscitation	*Domestics wear FFP3 Long sleeved gown Gloves Eye protection	FFP3 Long sleeved gown Gloves Full Face visor	FFP3 Long sleeved gown Gloves Full Face visor	N/A	N/A

WHEN WORKING IN:	MY JOB IS:				
	A Non Clinical role (e.g. facilities, administrative role, volunteers)	A Hospital based clinical role –e.g. medical nursing, ODP	A hospital based Allied Health Professional (e.g. Physio, OT)	Community Based worker- including social care & independent contractors	Dental Services
In operating theatres	FRSM Apron Gloves	<p>Anaesthetic team: FFP3 Long sleeved Gown Gloves Full face visor</p> <p>Surgeons & Scrub team: FRSM (FFP3 if surgery is an AGP) Sterile Gown Sterile Gloves Eye protection</p> <p>Circulating Team: FRSM (FFP3 if surgery is an AGP) Apron (Gown if surgery is an AGP) Gloves Eye protection (only if AGP)</p> <p>Recovery team: FRSM (FFP3 if patient not extubated) Apron Gloves Eye protection –if risk of splash/cough</p>	FRSM Apron Gloves UNLESS advised procedure is AGP – see theatre circulating team	N/A	N/A

COVID 19 – PPE Guidance for staff:

MUST DO:	DESIRABLE:	MUST NOT:
<ul style="list-style-type: none"> • Change aprons and gloves between each patient • Remove PPE including mask before leaving a ward/department/patient home • Wash or decontaminate hands immediately after removing PPE • Remove all PPE before taking comfort break/meal break • Put PPE on and remove in correct order • Remove and dispose of all FFP3/PPE following a single procedure AGP (e.g. endoscopy) • Change PPE if damaged, visibly contaminated or wet • Place used PPE into clinical waste bin 	<p>To maximise safe and effective use of available stock:</p> <ul style="list-style-type: none"> • Wear FRSM on sessional basis -all areas • Wear Eye protection on sessional basis– all areas • Wear FFP3 on sessional basis –ITU only • Wear Gowns on sessional basis – ITU only 	<ul style="list-style-type: none"> • Touch or rearrange FRSM or FFP2/FFP3 after putting on • Wear PPE in main hospital corridors, rest areas, non patient areas • Reuse single use FRSM or FFP3/FFP2 - change if mask/respiratory removed for any reason • Wear FRSM around neck • Wear a level of PPE not appropriate to the clinical area or task being undertaken